Safety Data Sheet
acc. to OSHA HCS

Date of issue: 10/05/2026 **Reviewed on 10/05/2026**

1 Identification

Kiesel Bauchemie

· **Product identifier**

· **Trade name:** **Okatmos Star 120**
· **Other means of identification**
· **Application of the substance / the mixture** **Adhesives**

· **Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:** **Kiesel Bauchemie GmbH & Co. KG**
Wolf-Hirth-Str. 2
D-73730 Esslingen
Germany
E-Mail:
info.canada@cemex.com
info.usa@cemex.com

· **Information department:** **Laboratory, departments of enviromental protection and labor protection**

2 Hazard(s) identification

· **Classification of the substance or mixture** **The product is not classified, according to the Globally Harmonized System (GHS).**
· **Additional information:** **Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.**


· **Label elements**
· **GHS label elements** **Void**
· **Hazard pictograms** **Void**
· **Signal word** **Void**
· **Hazard statements** **Void**
· **CARCINOGENICITY:** **contains quartz dust in the bound state.**
When grinding of hardened material may result in the formation of quartz dust.
Quartz: Confirmed carcinogenwith experimental carcinogenic, tumorigenic and neoplastigenic data. Human systemic effects by inhalation include: cough and dypsnea. Causes liver effects. IARC Group 1 (carcinogenic to humans).

· **Information pertaining to particular dangers for man and environment:**
· **Classification system:**
· **NFPA ratings (scale 0 - 4)**



Health = 0
Fire = 1
Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = *0
Fire = 1
Reactivity = 0

· **Classification according to (d)(1)(ii) of § 1910.1200** **The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.**
· **Hazards not otherwise classified** **There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.**

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA HCS

Date of issue: 10/05/2026 **Reviewed on 10/05/2026**

Trade name: Okatmos Star 120

(Contd. of page 1)

3 Composition/information on ingredients

· **Composition/Information on ingredients** .
· **Chemical characterization: Mixtures**
· **Description:** Adhesive

· **Dangerous components:**

CAS: 14808-60-7	Quarz Consisting of: 14808-60-7 Quarz (>98%); 14808-60-7 Quarz (Feinfraktion) (1-10%) Carcinogenicity 1A, H350	10-30%

· **Additional information:** Mixture is not dangerous because silica (CAS: 14808-60-7) is bound.
CAS: 14808-60-7 Quarz : This substance is firmly incorporated into the matrix in this product and therefore does not contribute to the labelling.
For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· **Description of first aid measures**

· **General information:** No special measures required.
If you feel unwell, seek medical advice.
· **After inhalation:** Seek medical treatment in case of complaints.
· **After skin contact:** Generally the product does not irritate the skin.
· **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
· **After swallowing:** rinse out mouth
· **Most important symptoms and effects, both acute and delayed** No further relevant information available.
· **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

· **Extinguishing media**
· **Suitable extinguishing agents:** CO2, extinguishing powder or water spray. Fight larger fire with alcohol resistant foam.
Use fire fighting measures that suit the environment.
· **For safety reasons unsuitable extinguishing agents:** Water with full jet
· **Special hazards arising from the substance or mixture** During heating or in case of fire poisonous gases are produced.
No further relevant information available.

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS

(Contd. of page 2)

· Advice for firefighters
· Protective equipment: Wear non-circulation breathing equipment and chemical-protective clothing. Do not inhale explosion gases or fire fumes.

*
6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures: Not required
· Environmental precautions: Dilute with plenty of water.
· Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
· Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 471-34-1	Calciumcarbonat	45 mg/m3
CAS: 14808-60-7	Quarz	0.075 mg/m3
	2-Amino-2-methyl-1-propanol	11 mg/m3
CAS: 55406-53-6	3-Iod-2-propinylbutylcarbamat	0.116 mg/m3

· PAC-2:		
CAS: 471-34-1	Calciumcarbonat	210 mg/m3
CAS: 14808-60-7	Quarz	8.3 mg/m3
	2-Amino-2-methyl-1-propanol	96 mg/m3
CAS: 55406-53-6	3-Iod-2-propinylbutylcarbamat	49 mg/m3

· PAC-3:		
CAS: 471-34-1	Calciumcarbonat	1300 mg/m3
CAS: 14808-60-7	Quarz	50 mg/m3
	2-Amino-2-methyl-1-propanol	570 mg/m3
CAS: 55406-53-6	3-Iod-2-propinylbutylcarbamat	290 mg/m3

· Reference to other sections: See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling: No special measures required.
· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities
· Storage:
· Requirements to be met by storerooms and receptacles: No special requirements.
· Information about storage in one common storage facility: No incompatible products worthy of special mention.
· Further information about storage conditions: Protect from frost.

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS

Date of issue: 10/05/2026 **Reviewed on 10/05/2026**

Trade name: Okatmos Star 120

(Contd. of page 3)

· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· **Control parameters**
· **Components with limit values that require monitoring at the workplace:**

· **Additional information:** If the mixture is sprayed or sanded, quartz dust may form. Quartz-containing dust can cause cancer. Please wear personal protective equipment (respiratory protection).

· **Exposure controls**
· **Appropriate engineering controls** No further data; see section 7.
· **Personal protective equipment:**
· **General protective and hygienic measures:** The usual precautionary measures for handling chemicals should be followed.
· **Breathing equipment:** Suitable respiratory protection for low concentrations or short-term exposure: particle filter EN 143 type P2 (medium retention capacity (solid and liquid pollutant particles))
Not necessary if room is well-ventilated.
Normally no personal respiratory protection required.
· **Protection of hands:** Not required
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· **Penetration time of glove material** The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **Eye protection:** Not required

*

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **Physical state**	Liquid
· **Color:**	Whitish
· **Odor:**	Recognizable
· **Odor threshold:**	Not determined
· **Melting point/Melting range:**	undetermined
· **Boiling point/Boiling range:**	100 °C (212 °F)
· **Flammability:**	Not applicable
· **Explosion limits:**	
· **Lower:**	Not determined
· **Upper:**	Not determined
· **Flash point:**	>100 °C (>212 °F)
· **Decomposition temperature:**	Not determined
· **pH-value at 20 °C (68 °F):**	7.5-8.5

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

Date of issue: 10/05/2026 **Reviewed on 10/05/2026**

Trade name: Okatmos Star 120

(Contd. of page 4)

· Viscosity:	
· Kinematic:	Not determined
· Dynamic at 20 °C (68 °F):	5,000 mPas
· Solubility in / Miscibility with	
· Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Vapor pressure:	
· Density at 20 °C (68 °F):	1.25 g/cm³ (10.43125 lbs/gal)
· Relative density	Not determined
· Vapor density	Not determined
· Particle characteristics	Not applicable

· Other information	
· Appearance:	
· Form:	Paste
· AUTO IGNITION:	Not self igniting
· Danger of explosion:	Product does not present an explosion hazard.
· Solvent content:	
· Organic solvents:	0.1 %
· Water:	7.6 %
· VOC-Content	0.12 % 1.5 g/l / 0.01 lb/gal
· Solids content:	<47.4 %
· Volatile Organic Compounds	1.7 g/l 0.12 %
· Change in condition	
· Evaporation rate	Not determined

10 Stability and reactivity

· Reactivity	No further relevant information available.
· Chemical stability	
· Thermal decomposition / conditions to be avoided:	No decomposition if used according to specifications.
· Possibility of hazardous reactions	No dangerous reactions known.
· Conditions to avoid	No further relevant information available.
· Incompatible materials:	No further relevant information available.
· Hazardous decomposition products:	No dangerous decomposition products known.

*

11 Toxicological information

· Information on toxicological effects
· Acute toxicity:

· LD/LC50 values that are relevant for classification:

CAS: 14808-60-7 Quarz

Oral	LD50	>2,000 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rat)

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Date of issue: 10/05/2026 Reviewed on 10/05/2026

Trade name: Okatmos Star 120

(Contd. of page 5)

· Primary irritant effect:
· on the skin: No irritant effect.
· on the eye: No irritating effect.
· Sensitization: No sensitizing effects known.
· Additional toxicological information: The product is not subject to classification according to internally approved calculation methods for preparations:
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
· Interactive effects No interactive effects between components are known.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)		
CAS: 14808-60-7	Quarz	1

· NTP (National Toxicology Program)		
CAS: 14808-60-7	Quarz	K

· OSHA-Ca (Occupational Safety & Health Administration)
None of the ingredients is listed.

· Alternative sources for toxicological information No non-standard sources for toxicological information where used.

12 Ecological information

· Toxicity
· Aquatic toxicity: No further relevant information available.
· Persistence and degradability No further relevant information available.
· Bioaccumulative potential No further relevant information available.
· Mobility in soil No further relevant information available.
· Results of PBT and vPvB assessment
· PBT: Not applicable
· vPvB: Not applicable
· Other adverse effects
· Additional ecological information:

· General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

· Waste treatment methods
· Recommendation: Disposal in accordance with official regulations
· Uncleaned packagings:
· Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Date of issue: 10/05/2026 **Reviewed on 10/05/2026**

Trade name: Okatmos Star 120

(Contd. of page 6)

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es) · DOT, ADR, ADN, IMDG, IATA · Class	Void
· Packing group · DOT, ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable
· Transport/Additional information:	Not dangerous according to the above specifications.
· Special precautions for user	Not applicable
· UN "Model Regulation":	Void

*

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
· **Sara**

· **Section 355 (extremely hazardous substances):**
None of the ingredient is listed.

· **Section 313 (Specific toxic chemical listings):**
None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

CAS: 471-34-1	Calciumcarbonat	ACTIVE
CAS: 14808-60-7	Quarz	ACTIVE
CAS: 7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE
CAS: 8050-25-7	Triethylenglycol-Rosin-Ester	ACTIVE
	Kolophonium, Reaktionsprodukte mit Formaldehyd	ACTIVE
CAS: 8013-07-8	Soybean oil, epoxidized	ACTIVE
	2-Amino-2-methyl-1-propanol	ACTIVE

· **Hazardous Air Pollutants**
None of the ingredients is listed.

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Date of issue: 10/05/2026 **Reviewed on 10/05/2026**

Trade name: Okatmos Star 120

(Contd. of page 7)

· **Proposition 65**

· Chemicals known to cause cancer:	
CAS: 14808-60-7	Quarz

· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:
None of the ingredients is listed.

· New Jersey Right-to-Know List:	
CAS: 14808-60-7	Quarz
	2-Amino-2-methyl-1-propanol
CAS: 55406-53-6	3-Iod-2-propinylbutylcarbamat

· New Jersey Special Hazardous Substance List:		
CAS: 14808-60-7	Quarz	CA

· Pennsylvania Right-to-Know List:	
CAS: 14808-60-7	Quarz
	2-Amino-2-methyl-1-propanol

· Pennsylvania Special Hazardous Substance List:
None of the ingredients is listed.

· **Cancerogenity categories**

· EPA (Environmental Protection Agency)
None of the ingredients is listed.

· TLV (Threshold Limit Value)		
CAS: 14808-60-7	Quarz	A2

· MAK (German Maximum Workplace Concentration)		
CAS: 14808-60-7	Quarz	1

· NIOSH-Ca (National Institute for Occupational Safety and Health)	
CAS: 14808-60-7	Quarz

· **GHS label elements** Void
· **Hazard pictograms** Void
· **Signal word** Void
· **Hazard statements** Void
· **National regulations:**
· **Information about limitation of use:** Employment restrictions concerning young persons must be observed.
Employment restrictions concerning pregnant and lactating women must be observed.
· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

To the best of our knowledge, the information contained in this SDS is accurate. It is intended to assist the user in his evaluation of the product's harzards, and safety precautions to be taken in its use. The data on this SDS relate only to the specific material designated herein. We do not assume any liability for the use, or reliance in this information,

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA HCS

Date of issue: 10/05/2026 **Reviewed on 10/05/2026**

Trade name: Okatmos Star 120

(Contd. of page 8)

nor do we guarantee its accuracy or completeness.

· **Department issuing SDS:** Health protection and safety
· **Date of previous version** 07/10/2026
· **Version number of previous version:** 18
· **Date of preparation** 10/05/2026
· **Abbreviations and acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Carcinogenicity 1A: Carcinogenicity – Category 1A

· * Data compared to the previous version altered.